

PRODUCT CONFIGURATION OPTIONS

OrderCode:	IED-EP+ S/S24/Variant 2/C****-F*****-Checksum												
Platform: IED-EP+ S Smart line IED EP+	Type: S24 S24 Smart Line series				Configuration: Variant 2 Vectorjump, over- underpower, frequency protection and autorecloser in 24HP industrial enclosure.								
Platform specific options	Position	0	1	2	3	4							
	Value	C	*	*	*	*							
Config specific options	Position	0	1	2	3	4	5	6	7	8	9	10	11
	Value	F	*	*	*	*	*	*	*	*	*	*	*
Checksum	Automatically is created by factory												
Detailed platform specific options													
Platform version												Position 0	
Current version												C	
Power Supply												Position 1	
24V												0	
48V												1	
60V												2	
110V												3	
220/230V												4	
I/O modules												Position 2	
24V												0	
48V												1	
60V												2	
110V												3	
220V												4	
110VAC												5	
230VAC												6	
Mounting methods												Position 3	
Flush mounting												0	
Din rail mounting												1	
Secondary language												Position 4	
None												0	
HUN												1	
GER												2	

RUS	3
ITA(N/A)	4
FRA	5
ROU	6
Detailed config specific options	
Configuration version	Position 0
Current version	F
Display type	Position 1
B&W	0
3.5" vertical	1
CPU first communication port	Position 2
N/A	0
Fiber optical ethernet MM/ST	1
Fiber optical ethernet SM/FC	2
Fiber optical Ethernet MM/LC	3
CPU secondary communication port	Position 3
N/A	0
Fiber optical Ethernet MM/ST	1
Fiber optical Ethernet SM/FC	2
RJ-45	3
Serial POF	4
Serial glass fiber	5
RS-485/422	6
Fiber optical Ethernet MM/LC	7
I/O module in position D	Position 4
O6R5	0
O8	1
O12	2
R8+00	3
R8+80	4
R8+C0	5
R12+0000	6
R12+4000	7
R12+4400	8
I/O module in position E	Position 5

N/A	0
O8	1
O12	2
R8+00	3
R8+80	4
R8+C0	5
R12+0000	6
R12+4000	7
R12+4400	8
O6R5	9
CT module in position B	Position 6
CT+5151	0
CT+5153	1
Nominal voltage of VT module	Position 7
100/200V AC	0
230V AC	1
Restricted Earth Fault	Position 8
N/A	0
Yes	1
Capacitor bank protection	Position 9
N/A	0
Yes	1
IEC61850 protocol (additional charge)	Position 10
No	0
Yes	1
Customization service (additional charge)	Position 11
No	0
Yes	1